

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: \_\_\_\_\_

DATE : 2/12/09TO SPE OF : ART UNIT 2622SUBJECT : Request for Certificate of Correction for Appl. No.: 09808991 Patent No.: 6963414 B2

Please respond to this request for a certificate of correction within 7 days.

**FOR IFW FILES:**

Please review the requested changes/corrections as shown in the COCIN document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code COCX.

**FOR PAPER FILES:**

Please review the requested changes/corrections as shown in the attached certificate of correction. Please complete this form (see below) and forward it with the file to:

Certificates of Correction Branch (CoC)  
South Tower - 9A22  
Palm Location 7580

LA MONTE NEWSOME  
Certificates of Correction Branch  
703-308-9390 ext. 112

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ Approved

All changes apply.

☐ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments: \_\_\_\_\_

\_\_\_\_\_ This case was allowed in the first office action. This case does not  
contain double patenting rejection, no terminal disclaimer was filed. Therefore, the request is correct  
and approved. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Formatted: Indent: Left: 1.22"

Formatted: Indent: Left: 0.5", Line  
spacing: Double, Tabs: Not at 6.46"

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

/Edward L. Coles/

SPE

Art Unit 2625

Deleted:	<u>1</u>
Deleted:	<u>1</u>
Deleted:	